



www.atech-racing.com

Atech: the passion for speed and safety that accompanies you in every curve.

With its ergonomic and comfortable seats, which wrap you like a second skin; with its resistant and light suits, which protect you from heat and fire. Atech Racing, with its quality and design products that combines safety and style, it is the choice of champions who want the best for their performances. Atech Racing is the brand that makes the difference, that makes you feel part of a team: thanks to its professionalism it offers you assistance and advice for a your needs.

Atech: your passion, our mission






















### CATALOGUE

| RACING SUITS                         |                      | SEATS 8855 - 2021  |          | SEATS 8855 - 1999                                     |                                 | STEERING WHEELS                  |            |
|--------------------------------------|----------------------|--|----------|---|---------------------------------|----------------------------------|------------|
| MAN<br>WOMAN                         | 22<br>32             | AT CARBON<br>AT-FIBERGLASS                                       | 72<br>78 | NORTH EXTREME S2 PERFORMANCE SHP TARGET CARBON TARGET | 98<br>100<br>102<br>104<br>108  | ATVO  BELTS                      | 134        |
| UNDERWERR  BALACLAVA TOP PANT GLOVES | 44<br>46<br>47<br>50 | SERTS BB62 - 2009  CARBON RS-LHT  CARBON RS8-LHT  CARBON RS7-LHT | 88       | TARGET XL<br>RSR<br>EASY<br>RAID 4X4<br>CROSS         | 110<br>112<br>114<br>116<br>124 | HARNESSES 0304<br>HARNESSES 0306 | 138<br>136 |
| SHOES                                | 54                   |  |          | EXTREME CROSS<br>GAMING                               | 126<br>130                      | FOR CREW & FOR SEATS             | 146        |
| MECHANICS SUITS                      |                      |  |          |   |                                 |                                  |            |



**OVERALLS** 





































# RECING


MAN & WOMAN SUITS STANDARD AND CUSTOMIZABLE













#### **RACING SUIT**

Complies with the FIA Standard **8856-2018** STANDARD SIZE: **48 - 64** 

- · 3 Layer
- · 1 Layer 100% Nomex Lightweight cloth
- · 3D Honeycomb interior for great breathability
- · Internal Pockets
- · Elasticated Parts on the Back and Armholes for greater confort

#### MAN SUITS STANDARD AND CUSTOMIZABLE























**TOTALLY CUSTOMIZABLE** 

We can satisfy all your requestes, with accessories for the driver and the co-driver and a wide range of colors.

Measurements must be taken wearing full underwear. Le misure devono essere prese indossando il sottotuta completo.

9


| TABLE A - STANDARD                |         |         |         |         |         |         |         |         |         |
|-----------------------------------|---------|---------|---------|---------|---------|---------|---------|---------|---------|
| MISURE PILOTA STANDARD            |         | T.B.    |         |         |         |         |         |         |         |
|                                   | 48      | 50      | 52      | 54      | 56      | 58      | 60      | 62      | 64      |
| ALTEZZA                           | 171/174 | 175/178 | 179/181 | 182/185 | 186/189 | 190/193 | 194/197 | 198/201 | 202/205 |
| PESO                              | 65/70   | 70/75   | 75/80   | 80/85   | 85/90   | 90/95   | 95/100  | 100/105 | 105/110 |
| CIRCONFERENZA TORACE              | 100     | 104     | 108     | 112     | 116     | 120     | 124     | 128     | 132     |
| CIRCONFERENZA VITA                | 84      | 88      | 92      | 96      | 100     | 104     | 108     | 112     | 116     |
| CIRCONFERENZA BACINO              | 96      | 100     | 104     | 108     | 112     | 116     | 120     | 124     | 128     |
| CIRC. COSCIA A 10cm DAL CAVALLO   | 53.8    | 56      | 58.2    | 60,4    | 62.7    | 64.9    | 67.1    | 69.3    | 71.5    |
| LARGHEZZA SPALLE                  | 44.6    | 46      | 47,4    | 48,8    | 50,2    | 51,6    | 53      | 54,4    | 55,8    |
| LUNGHEZZA BRACCIO                 | 63      | 64      | 65      | 66      | 67      | 68      | 69      | 70      | 71      |
| LUNG. ESTERNO GAMBA-VITA/FONDO    | 101,5   | 103     | 104.5   | 106     | 107,5   | 109     | 110,5   | 112     | 113,5   |
| LUNG. INTERNO GAMBA-CAVALLO/FONDO | 80.5    | 81.5    | 82,5    | 83,5    | 84,5    | 85,5    | 86.5    | 87.5    | 88,5    |
| TOTALE TORSO                      | 152     | 155     | 158     | 161     | 164     | 167     | 170     | 173     | 176     |



I disegni tute utilizzati in questo catalogo appartengono esclusivamente ad Atech Racing ed è vietato l'utilizzo e la riproduzione.

The overalls designs used in this catalog belong exclusively to Atech Racing and their use and reproduction is prohibited.

29



Le misure devono essere prese indossando il sottotuta completo.

Measurements must be taken wearing full underwear.

9

RACING SUITS - atech-racing.com











#### **RACING SUIT**

Complies with the FIA Standard 8856-2018 STANDARD SIZE: 38 - 58

- · 3 Layer
- · 1 Layer 100% Nomex Lightweight cloth
- · 3D Honeycomb interior for great breathability
- · Internal Pockets
- · Elasticated Parts on the Back and Armholes for greater confort

#### **WOMAN SUITS** STANDARD AND **CUSTOMIZABLE**







#### **RACING SUIT**

Complies with the FIA Standard 8856-2018 STANDARD SIZE: 38 - 58

- · 3 Layer
- · 1 Layer 100% Nomex Lightweight cloth
- · 3D Honeycomb interior for great breathability
- · Internal Pockets
- · Elasticated Parts on the Back and Armholes for greater confort

### WOMAN SUITS STANDARD AND CUSTOMIZABLE










#### **TOTALLY CUSTOMIZABLE**

We can satisfy all your requestes, with accessories for the driver and the co-driver and a wide range of colors.

| TAB    | LE A | - STAN  | DARD |
|--------|------|---------|------|
| MISURE | PILO | TA STAN | DARD |

| MISURE PILOTA STANDARD            |       |       | T.B.  |       |       |       |       |       |       |       |       |
|-----------------------------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
|                                   | 38    | 40    | 42    | 44    | 46    | 48    | 50    | 52    | 54    | 56    | 58    |
| ALTEZZA                           | 160   | 164   | 168   | 170   | 172   | 174   | 176   | 178   | 180   | 182   | 184   |
| PESO                              | 40/45 | 45/50 | 50/55 | 55/60 | 60/65 | 65/70 | 70/75 | 75/80 | 80/85 | 85/90 | 90/95 |
| CIRCONFERENZA TORACE              | 76    | 80    | 84    | 88    | 92    | 96    | 100   | 104   | 108   | 112   | 116   |
| CIRCONFERENZA SENO                | 80    | 84    | 88    | 92    | 96    | 100   | 104   | 108   | 112   | 116   | 120   |
| ALTEZZA SENO                      | 24    | 25    | 26    | 27    | 28    | 29    | 30    | 31    | 32    | 33    | 34    |
| DISTANZA SENO                     | 18    | 18,5  | 19    | 19,5  | 20    | 20,5  | 21    | 21,5  | 22    | 22,5  | 23    |
| CIRCONFERENZA VITA                | 60    | 64    | 68    | 72    | 76    | 80    | 84    | 88    | 92    | 96    | 100   |
| CIRCONFERENZA BACINO              | 84    | 88    | 92    | 96    | 100   | 104   | 108   | 112   | 116   | 120   | 124   |
| CIRC. COSCIA A 10cm DAL CAVALLO   | 45    | 47    | 49    | 51    | 53    | 55    | 57    | 59    | 61    | 63    | 65    |
| LARGHEZZA SPALLE                  | 35    | 36    | 37    | 38    | 39    | 40    | 41    | 42    | 43    | 44    | 45    |
| LUNGHEZZA BRACCIO                 | 56    | 57    | 58    | 59    | 60    | 61    | 62    | 63    | 64    | 65    | 66    |
| LUNG. ESTERNO GAMBA-VITA/FONDO    | 93,5  | 95    | 96.5  | 98    | 99.5  | 101   | 102.5 | 104   | 105.5 | 107   | 108.5 |
| LUNG. INTERNO GAMBA-CAVALLO/FONDO | 71    | 72    | 73    | 74    | 75    | 76    | 77    | 78    | 79    | 80    | 81    |
| TOTALE TORSO                      | 135   | 138   | 141   | 144   | 147   | 150   | 153   | 156   | 159   | 162   | 165   |


9



I disegni tute utilizzati in questo catalogo appartengono esclusivamente ad Atech Racing ed è vietato l'utilizzo e la riproduzione.

The overalls designs used in this catalog belong exclusively to Atech Racing and their use and reproduction is prohibited.

37



Le misure devono essere prese indossando il sottotuta completo.


Measurements must be taken wearing full underwear.

9

RACING SUITS - atech-racing.com

#### TISSUS COLOR RANGE ANTI-FEU 120GR/M<sup>2</sup>


9



9









## 

#### FIA 8856-2018

BALACLAVA

TOP

PANT

**GLOVES** 

SOCK SHOES







#### **UNDERWEAR**

Complies with the new FIA Standard 8856-2018 SIZE: S - M - L - XL - XXL

#### **BALACLAVA/SOTTOCASCO**



BLACK A-UW001





#### TOP/MAGLIA



#### **UNDERWEAR**

Complies with the new FIA Standard 8856-2018 SIZE: S - M - L - XL - XXL





#### PANT/PANTALONE







#### **NEW UNDERWEAR**

9

SIZE: S - M - L - XL - XXL

BALACLAVA/SOTTOCASCO TOP/MAGLIA PANT/PANTALONE

WILL SOON BE AVAIABLE













#### **GLOVES**

Racing Gloves, Fireproof, with silicone prints on the palm and fingers thaqt give a good grip.

Lighweight, good grip, external seams for maximum sensivity. The wrist is a stretch to fit optimal.

COLORS





The AT-S1 model has been designed to give drivers maximum fit and drivin sensitivity. Robust, but with a low weight.

#### 8856-2018

#### **NEW AT-SI**

- · Weight: 300gr
- · 1 Adjustable closure tab with velcro
- · 2 Upper made of leather, soft and light
- · 3 -Light rubber sole for excellent feel on the pedals
- · 4 -Heel in permeable material for better shock absorption
- · 5 -Perfect sides for excellent ventilation and breathability
- · 6 Graphics printed in fire retardant for weight saving










#### SHOES


The AT-SI model has been designed to give drivers maximum fit and drivin sensitivity. Robust, but with a low weight.

SIZE: **36 - 47** 

#### COLORS





























### MECHENICS SUITS

Professionalism, resistance but at the same time comfort, our suits make the job of the mechanic more sucere and pratical.







#### **MECHANICS OVERALLS**

#### A.TT 0300

- · In cotton and polyester with internal neck/back/sleeves in · knitted fabric
- Reinforcements of knees and elbows
  Comfortable front pockets
  Elastic cuffs

Open bottom leg for optimal comfort Design directly derived from driver suits, high wear resistance with best comfort during daily use.

SIZE: 48 - 64











#### **MECHANICS OVERALLS**

#### **A.TT 0301 SERI**

Design directly derived from driver suits, high wear resistance with best comfort during daily use.

- · In cotton and polyester with internal neck/back/sleeves in knitted fabric
- · Reinforcements of knees and elbows
- · Comfortable front pockets elastic cuffs · Open bottom leg for optimal comfort.

SIZE: 48 - 64

I disegni tute utilizzati in questo catalogo appartengono esclusivamente ad Atech Racing ed è vietato l'utilizzo e la riproduzione.

The overalls designs used in this catalog belong exclusively to Atech Racing and their use and reproduction is prohibited.









### **SELTS**

Our racing suit, personally designed by our technicians, are extremely comfortable as well as being created with high quality fireproof materials. They can also be customized as desired.

#### 8855-2021

AT-CH AT-CM

AT-CS

AT-FH

AT-FN

AT-FS

#### 8862-2009

CARBON

CARBON RS-LHT

#### 8855-1999

NORTH

EXTREME S2

PERFORMANCE SHP

**TARGET CARBON** 

TARGET

TARGET XL

RSR

**EASY** 

RAID 4X4

**CROSS** 

**EXTREME CROSS** 





### NEW 8855 - 2021

The brand new AT-FH seat is the first ever product approved under FIA 8855-2021 standard.

This high-strength racing seat model is raising the quality bar when compared to the old generation of FIA 8855 seats. Furthermore, the new 8855-2021 standard by FIA allows the seat to be comparable in performance to the higher standard 8862-2009 seats, but at a fraction of their pricing.

FIA 8855-2021 seats are quasi-static tested as per FIA's prescription, by replicating a 42G accident situation, together with the consequent stresses deployed on the product.

As of today, Atech Racing has approved six seats according to the new FIA 8855-2021 standard, covering all the driver sizes.





















#### AT-CH (Carbon)

Complies with the new FIA Standard **8855-2021** 

TOTAL WEIGHT: 9,400 kg

- · Ultra lightweight carbon fiber seat shell
- · Comfort guaranteed by the unique ASS (Anatomic Shell System)
- · Head Restraint covered with state-of-the-art energy absorbing material
- · Fireproof seat cover with 3D air fabric material
- · Racing Net Support (on request)
- · Seat Cooling System (on request)
- · 10 Years validity



**USE ONLY FOR** TRACK AND HILLCLIMBING






ATECH

**E** 

ATECH AIR COOL





FIA 8855-2021

SEATS - atech-racing.com



#### **3 SIZE SEATS**

#### AT-CH



#### AT-CM



#### AT-CS





#### **SEAT** BRACKETS


#### **AT** BRK21



- · Made in High Strength Steel
- · FIA Approved
- · 120 mm longitudinal adjustment
- · 80 mm vertical adjustment
- · 15 degrees of tilting
- · 10 Years validity
- · Sold together with seats
- · Compact version under development

#### **3 CARBON SEATS SIZE**

#### AT-CH




THE BRAND NEW **AT SEATS** 



#### AT-CM

9










#### AT-CS





FIA 8855-2021











CARBON

















FIA 8855-2021

#### **AT-FH** (Fiberglass)

Complies with the new FIA Standard **8855-2021** 

TOTAL WEIGHT: 14,100 kg

- · Fiberglass seat shell
- · Comfort guaranteed by the unique ASS (Anatomic Shell System)
- · Head Restraint covered with state-of-the-art energy absorbing material
- · FIA Approved high strength steel brackets included
- · Fireproof seat cover with 3D air fabric material
- · Racing Net Support (on request)
- · Seat Cooling System (on request)
- · 10 Years validity





ATECH

ATECH





79

SEATS - atech-racing.com



# **FIBERGLASS**

#### **3 SIZE SEATS**

#### AT-FH



#### AT-FM



#### AT-FS



#### **SEATS**



#### **SEAT** BRACKETS

#### AT BRK21-L




#### · For use only with AT Firebergalls Series

- · Made in High Strength Steel
- · FIA Approved
- · 120 mm longitudinal adjustment
- · 80 mm vertical adjustment
- · 15 degrees of tilting
- · 10 Years validity
- · Sold together with seats
- · Compact version under development
- · Ultra Light




#### **3 FIBERGLASS SEATS SIZE**

#### AT-FH



#### AT-FM

9



#### APPROVED MANUFACTURES, ATTICH MODIES, 24 FW

#### 2 TYPES OF BRACKETS: THE ATBKR21 AND THE AT BRK21-L


9

#### AT BRK21



- · Made in High Strength Steel
- · FIA Approved
- · 120 mm longitudinal adjustment
- · 80 mm vertical adjustment
- · 15 degrees of tilting
- · 10 Years validity
- · Sold together with seats
- · Compact version under development

#### AT-FS







THE BRAND NEW **AT SEATS** 

FIA 8855-2021

#### **3 CARBON** SEATS **SIZE** & 1 TYPE OF BRACKETS



AT-CH WEIGHT: 9,400 kg FOR DRIVER: 185 - 200 cm



APPROVED



9

AT-CM WEIGHT: 9,300 kg FOR DRIVER: 175 - 185 cm







AT-CS WEIGHT: 9,300 kg FOR DRIVER: up to 175 cm





#### **3 FIBERGLASS** SEATS **SIZE** & 2 TYPES OF BRACKETS



AT-FH
WEIGHT: 14,100 kg
FOR DRIVER: 185 - 200 cm







9

**AT-FM**WEIGHT: **13,800 kg**FOR DRIVER: **175 - 185 cm** 







AT-FS
WEIGHT: 13,800 kg
FOR DRIVER: up to 175 cm







SEAT
BRACKETS
AT BRK21





FOR USE ONLY WITH AT FIREBERGLASS SERIES ULTRA LIGHT

SEAT BRACKETS AT BRK21

# SEATS 8862 - 2009

Our racing suit, personally designed by our technicians, are extremely comfortable as well as being created with high quality fireproof materials. They can also be customized as desired.

#### 8862-2009

CARBON RS-LHT CARBON RS8-LH CARBON RS7-LH









hans COMPATIBLE

YEARS



CARBON

HOMOLOGATION







#### **CARBON RS LHT**

Complies with FIA Standard 8862-2009

WEIGHT: 9,750 kg - TOTAL WEIGHT: 11,300 kg

The Atech CARBON RS LHT: has passed the stringent requirements of the standard FIA 8862-2009, designed fpr the new generation car, ideal for tall pilots, over 190 cm, its ergonomic shape allows a large integration in cars.

9

· Carbon shell

· Velour covering

· Side head protection

· Technical insert

· Preformed shell with ASS

· 5 seat belt opening

(Anatomic shell System)

· Lateral fixing

· New seat belt slot fixed to the shell







**RS-LHT** 


FIA 8862-2009






#### **3 CARBON SEATS SIZE**

#### **CARBON RS-LHT** ATCRS 190 LHT





#### CARBON RS8-LHT ATRCRS8 180 LHT






9



#### CARBON RS7-LHT ATC RS7170 LHT





FIA 8862-2009





# 9 **CARBON SEATS**

#### **SEAT** BRACKETS FOR **LHT**



#### AT BRK-18L

- · Made in High Strength Steel
- · FIA Approved
- · 120 mm longitudinal adjustment
- · 80 mm vertical adjustment
- · 15 degrees of tilting
- · 10 Years validity
- · Sold together with seats
- · Compact version under development

#### **3 CARBON SEATS SIZE**



#### **CARBON RS-LHT**

WEIGHT: 9,750 kg TOTAL WEIGHT: 11,300 kg FOR DRIVER: 185 - 200 cm







#### **CARBON RS8-LHT**

WEIGHT: 9,450 kg TOTAL WEIGHT: 10,900 kg FOR DRIVER: 175 - 185 cm







#### **CARBON RS7-LHT**

WEIGHT: 9,250 kg TOTAL WEIGHT: 10,600 kg FOR DRIVER: up to 175 cm





**RS SERIES** 

FIA 8862-2009











## SERTS 8855 - 1999

Our racing suit, personally designed by our technicians, are extremely comfortable as well as being created with high quality fireproof materials. They can also be customized as desired.

#### FIA 8855-1999

NORTH

**EXTREME S2** 

PERFORMANCE SHP

**TARGET CARBON** 

**TARGET** 

TARGET XL

RSR

**EASY** 

RAID 4X4

**CROSS** 

**EXTREME CROSS** 

**RACING GAME** 























ATSPEX033

#### **NORTH ATSPEX033**

Complies with FIA Standard 8855-1999


WEIGHT: **8,600 kg** 



Developed on the Extreme S2 seat's project, North Seat due to special ergonomic changes proves to be very suitable for driver taller than 185 cm.

· Gellcoated fiberglass shell · Velour covering · Side head protection · No slip cushion · Preformed shell with ASS · Technical insert (Anatomic shell System) · 5 seat belt opening

· New seat belt slot fixed to the shell · Lateral fixing





























#### ATSPEX032

#### **EXTREME S2** ATSPEX032

Complies with FIA Standard 8855-1999

WEIGHT: **8,200 kg** 



Seat born the profile is taken to the extreme form to be placed in very limited cockpits, suitable for rider up to 180cm.

· Gel-coated fiberglass shell

· Velour covering

· Side head protection


· No slip cushion


· Preformed shell with ASS (Anatomic shell System)

Technical insert5 seat belt opening

· New seat belt slot fixed to the shell

· Lateral fixing





























#### **PERFORMANCE ATS020**


Complies with FIA Standard 8855-1999

WEIGHT: **8,400 kg** 



First Atech Seat, is a very good compromise between dimensional optimization of Extreme and North Seats and a wider base for larger body, suitable for rider up to 185 cm.

Gel-coated fiberglass shell Velour covering Side head protection No slip cushion Preformed shell with ASS Technical insert (Anatomic shell Systern) 5 seat belt opening New seat belt slot fixed to the shell Lateral fixing





**ATS020** 

FIA 8855-1999



target





















#### **TARGET CARBON ATS018**



Complies with FIA Standard 8855-1999


WEIGHT: 6,500 kg

9

Entry level price for an high quality seat, thenks to the VTR Shell base with leg raise and two-tone finish

· Entry Level · 5 seat belt opening

· Gel-coated fiberglass shell · Lateral fixing



FIA 8855-1999

SEATS - atech-racing.com

**CARBON TARGET** 

1 DI KROON























#### **TARGET ATS015**

Complies with FIA Standard 8855-1999

WEIGHT: **7,300 kg** 



Seat with best performances, approciated for versatile use, very good confort, it is without side head protection, so it can be used also in very narrow cockpits.

· Gel-coated fiberglass shell preformed shell with ASS (Anatomic shell System)

· New seat belt slot fixed to the shell

· Velour covering


· Technical insert

No slip cushion pre-shaped for easy

· Belt - 5 seat belt opening

· Lateral fixing

use for seat





**ATS015** 

FIA 8855-1999



















#### **TARGET XL ATS016**

Complies with FIA Standard 8855-1999

WEIGHT: 7,890 kg



Seat with best performances, approciated for its versatility, very good confort, designed without side-head protection, ideal for tall and robust drivers.

· Gel-coated fiberglass shell preformed shell with ASS (Anatomic shell System)

· New seat belt slot fixed to the shell

· Velour covering


· Technical insert

No slip cushion pre-shaped for easy

use for seat

· Belt - 5 seat belt opening

· Lateral fixing





**ATS016** 

FIA 8855-1999























9

Complies with FIA Standard 8855-1999

WEIGHT: **7,300 kg** 



Very similar features to Target seat, technical and simple design.

· Gel-coated fiberglass shell

· Standard Technical insert

· Peformed shell with ASS

· No slip cushion

(Anatomic shell System) · 5 seat belt opening

· New seat belt slot fixed to the shell

· Lateral fixing

· Velour covering

0

FIA 8855-1999

**ATS010** 























#### **EASY** ATSO05




WEIGHT: **7,000 kg** 



Entry level price for an high quality seat, thenks to the VTR Shell base with leg raise and two-tone finish

· Entry Level · 5 seat belt opening

· Gel-coated fiberglass shell · Lateral fixing



FIA 8855-1999





9









HOMOLOGATION











#### **RAID 4X4** ATS045

Complies with FIA Standard 8855-1999

WEIGHT: 9,300 kg



Based on the RSR Seat, due to the Sky Covering it's perfect for OffRoad competition cars, and easy to clean.

· Gel-coated fiberglass shell · Standard Technical insert


· Peformed shell with ASS · No slip cushion

(Anatomic shell System) · 5 seat belt opening

· New seat belt slot fixed to the shell

· Lateral fixing

· Sky covering



FIA 8855-1999

**RAID 4X4** 

QASHQA

Garzone



### NORTH WEIGHT: 8,600 kg FOR DRIVER: 185 - 200 cm







EXTREME S2
WEIGHT: 8,200 kg
FOR DRIVER: 175 - 185 cm







9

PERFORMANCE SHP
WEIGHT: 8,400 kg
FOR DRIVER: 175 - 185 cm







TARGET WEIGHT: 7,300 kg FOR DRIVER: 175 - 185 cm







TARGET XL WEIGHT: 7,890 kg FOR DRIVER: 185 - 200 cm







RSR WEIGHT: 7,300 kg FOR DRIVER: 185 - 200 cm







9

EASY
WEIGHT: 7,000 kg
FOR DRIVER: 175 - 185 cm







**RAID 4X4**WEIGHT: **9,300 kg**FOR DRIVER: **175 - 185 cm** 









BRACKETS ALLUMINIUM

ATAL 0318

SEAT
- BRACKETS
ATAC 00318


MORE INFO PAGE 137

VTR SEATS FIA 8855-1999 & BRACKETS









# GRUSS SERTS

FIA 8855-1999

CROSS EXTREME CROSS



(IA) APPROVED























#### **CROSS ATS002**

(III) APPROVED MANUFACTURER: ATECH MODEL: ETS HOM. NO: CS.222.08 FIA STANDARD: 8855-1999 Complies with FIA Standard 8855-1999


WEIGHT: 7,800 kg

Seat born the profile is taken to the extreme form to be placed in very limited cockpits, suitable for driver un to 180cm.

· Gel-coated fiberglass shell · Technical insert

· Peformed shell with ASS · 5 seat belt opening · Lateral fixing (Anatomic shell System)

· New seat belt slot fixed to the shell



FIA 8855-1999

SEATS - atech-racing.com

















ATSPEX032CRS



#### **EXTREME CROSS**

ATSPEX032CRS


Complies with FIA Standard 8855-1999

WEIGHT: **8,200 kg** 



Seat born the profile is taken to the extreme form to be placed in very limited cockpits, suitable for driver un to 180/185cm.

- · Gel-coated fiberglass shell
- · Peformed shell with ASS
- (Anatomic shell System)
- · New seat belt slot fixed to the
- · Technical insert
- · No slip cushion
- · 5 seat belt opening
- · Lateral fixing



FIA 8855-1999

SEATS - atech-racing.com




























# 

- 1 ALUMINIUM SPOKES
- 2 SLIEDE I FATHER
- 3 YELLOW VIEWFINDER
- 4 BLACK STITCHING













ATVO 0101 Steering Wheels 3 Spokes Ø 350mm Suede Covered



ATVO 0102 Steering Wheels 3 Spokes Ø 330mm x 90mm Deep Suede Covered



ATVO 0103 Steering Wheels 3 Spokes Ø 330mm x 65mm Deep Suede Covered

**STEERING WHEELS** 

# BELT5





#### **HARNESSES**

#### **ATHA 0304**

A complete high quality Harnesses range to be able to satisfy any costumers request.

FIA 8853-2016 (R5/WRC)

6 Point 2/3" Hans 2 Alluminium

Adjusters + 2 Steel Adjusters Light



COMPATIBLE







HARNESSES ATHA 0304

.



#### **HARNESSES**

#### **ATHA 0306**

A complete high quality Harnesses range to be able to satisfy any costumers request.

FIA 8853-2016 (R5/WRC)

6 Point 2/2" Hans 4 Alluminium

Adjusters Ultra Light Available on Request



COMPATIBLE








**HARNESSES** ATHA 0306

9

Dig.

BELTS - atech-racing.com









# ACCESSORIES







Canned circular key ring to be included in the spare whell.

Avaiable for wheel from 13 to 18 inches

#### **ATBS** 001 - SPORT BAG



Take everything you need with you with this pratlical and compact Bag Atech.

The side pocket and the front compartment with zip closure allow you to have the essential items always.

**45I** CAPACITY **ZIP** CLOUSURE

**32cm** DIAMETER **60cm** LENGTH



#### ATBO 0113 - CODRIVER BAG







Perfect Codriver companion, comfortable to use in the racing car because it is fixed in the roll-bar

# FOR ATECH CREW



**ATRC** 0250 - KIT STANDARD SEAT



**ATRC** 0252 - KIT CARBON SEAT



Anatomic complete kit adapter for Seat



#### **ATRC** 0253- KIT SEAT 8855-2021



Anatomic complete kit adapter for only Seat FIA 8855-2021 Atech Racing

#### ATRC 0200- CAMEL BAG



Water bag holder with connections for seats.

**2L** CAPACITY

**ATSU 0290 - SEAT SUPPORT** 



Atech Seat support for Showroom





Black tear-resistant seat cover - with protection

#### ATRC 0201 - SEAT COVER



Black tear-resistant seat cover - without protection

**ACCESSORIES** 

FOR ATECH SEATS

#### **AT BRK-18L-** FOR 8856-2009



Steel Side Brackets

For use only with RS/RS8/LHT Carbon Seats

**ATAC 0318** - FOR 8856-1999

**ATAL 0318** - ALLUMINIUM

9



ATAC 0318 - Steel Side Brackets

For all Seats FIA 8855-1999

ATAL 0318 - Side Brackets - Alluminium

For all Seats FIA 8855-1999

#### **AT BRK21 - FOR 8856-2021**



Steel Side Brackets - 10 Years Validity

For all Seats FIA 8855-2021

- · Made in High Strength Steel
- · 120 mm longitudinal adjustment
- · 80 mm vertical adjustment
- · 15 degrees of tilting
- · Sold together with seats · Compact version under
- development

#### **AT BRK21-L - FOR 8856-2021**

9



Steel Side Brackets Steel - 10 Years Validity **Ultra Light** 

Only use for the **AT Fireberglass** Series

- · Made in High Strength Steel
- · 120 mm longitudinal
- · 80 mm vertical adjustment
- · 15 degrees of tilting · Sold together with seats
  - · Compact version under development

## FOR ATECH SEATS

### **SIDE BRACKETS**

#### **ATRC** 0251 - ANATOMIC SUPPORT



Rice Sitting rigid anatomic Seat Extreme S2



#### **ATRC** 0253 - ANATOMIC SUPPORT



Rice Sitting rigid anatomic all Carbon Seats

FOR ATECH SEATS

#### **ATPC** 0107 - HELMET CASE



**ATPC** 0105 - HELMET CASE



Raid/Rally Helmet Case with light glove compartment

**ACCESSORIES** 

#### **T-SHIRT** - WHITE



T-SHIRT - BLACK

9



**JACKET** - MAN



AT. IGLOO - M 94% Polyestere - 6% Elastane

**JACKET** - WOMAN



AT. IGLOO - L 94% Polyestere - 6% Elastane

# **APPAREL**

#### **RACE HAT** ATRH 002



100% Brushed Cotton - Grey
Winter Version

#### RACE HAT - ATRH 001

9



100% Brushed Cotton - Black
Summer Version

#### **SHORT JACKET**



AT.SEAL 94% Polyestere - 6% Elastane


#### **UMBRELLA**



**UMBRELLA**Available in Red and Gray with Atech Racing Logo

**APPAREL** 

FOR ATECH CREW











# RFCINGINSTINGT





#### **HEADOUARTER**

#### ATECH sarl

Route Alhaouaria km 82.5

Kelibia 8090

Tunisie

PH:+21629236436

Fax: +216 72 296 462

head@atechracing.net

info@atechracing.net

#### DISTRIBUTOR EUROPE

#### SHOW ROOM

ATECH srl

Via Roma, 22

14023 Cocconato

Italy

PH: +39 0141 907006

ordini@atechracing.net

info@atechracing.net

www.atech-racing.com

